

Plastic hammers · Dead blow soft faced hammers · Rubber hammers  
„Erlkönig“: ARM+STRONG®



## German Hand Tools

DEVELOPMENT  
CONSTRUCTION  
FABRICATION



PLASTIC MOULDING FACTORY · TOOL FACTORY

If quality is what really matters ... if precision, durability and multiple carrying capacity play the most important role, get in contact with us!



Open dialogue & partnership / multidisciplinary process manufacturing partner  
Product-development, Engineering / current economic realisation



**Reaching the goal directly, quickly and economically!**

- We speak your language!
- We know the most economic technologies!
- We combine plastic, steel and wood!
- We produce in time and based on specifications!
- We know, what we are talking about and that preferably with you ...

PREMIUM TECHNOLOGY  
GERMAN HAND TOOLS

**MADE IN GERMANY**

MULTIDISCIPLINED PROCESS PARTNER TEAM  
QUALITY KNOW HOW VALUE  
PRECISION INNOVATION PATENT

ENGINEERING FABRICATION EXPORT SOLUTION  
PRODUCT DESIGN  
PLASTIC INJECTION MOULDING  
MULTI-COMPONENT TECHNOLOGY  
PRINTING COMPONENTS  
COMPLETELY PACKAGED PRODUCTS  
SINCE 1955

- Standard program
- Customer solutions
- Branding
- Packaging solutions
- Complete Development

- High-end qualities
- Workshop and insulated tools
- Economic export-qualities
- Displays / sets / advertising material

Industry solutions, e.g.

**Plastic hammer · Dead blow soft faced hammer · Rubber hammer for ...**

**Plastic hammer · Soft faced hammer · Rubber hammer**

German workmanship - high quality production processes and ergonomic, perfectly concerted material components, guarantee „to hit the right mark, but not to damage it“!

**Soft faced - Buckling - Rubber - Hammer**

- > Auto body work / metal: buckling, deforming, cutting, fitting
- > Furniture / wood / composites: driving, straighting, leveling
- > Yacht, caravan / GFK, material combinations: positioning, adjusting
- > Handcraft / all materials: installation work

**Heads**

- > Cellulose
- > PA12-Nylon
- > Rubber



**Handles**

- > Ash handle
- > Europlus
- > HighCor® Hardwood
- > Tubular steel handle - RSF
- > Composite 2K

**Individualisation / Branding**

- > Printing on the shaft
- > Stamping the cast steel
- > Colour scheme
- > Packaging
- > Labels
- > Certification

**Center part**

- > Cast steel
- > Metal-Force-Cast®
- > Dead blow steel tube
- > Solid rubber



**High-end sectors: Classic car restoration · Caravans/Yacht construction · Private jets · Luxury kitchens · Furniture construction · Musical instrument making · Fine tuning ...!**

## Plastic hammers

### KSH 2000

- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky

Art.-No.	mm	mm	g	VE
2001	22	250	140	6
2002	27	265	215	6
2003	32	280	325	6
2004	35	290	400	6
2005	40	320	550	6
2006	50	340	860	6
2007	60	380	1.365	4



### KSH 2100

- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant PA12-Nylon

Art.-No.	mm	mm	g	VE
2101	22	250	140	6
2102	27	265	215	6
2103	32	280	325	6
2104	35	290	400	6
2105	40	320	550	6
2106	50	340	860	6
2107	60	380	1.365	4



### KSH 2800

- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky and PA12-Nylon

Art.-No.	mm	mm	g	VE
2801	22	250	140	6
2802	27	265	215	6
2803	32	280	325	6
2804	35	290	400	6
2805	40	320	550	6
2806	50	340	860	6
2807	60	380	1.365	4



### KSH 2950

- > With polished, lacquered, contoured ash handle
- > Heads made of shock-resistant Desmopan

Art.-No.	mm	mm	g	VE
2951	22	250	140	6
2953	32	280	325	6
2955	40	320	550	6
2956	50	340	860	6



## ARM+STRONG Hammers

### A-S 2850

- > With polished, lacquered, contoured Europlus handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky

Art.-No.	mm	mm	g	VE
2852	27	265	305	6
2855	40	320	700	6
2857	60	380	1.895	4



### A-S 2860

- > With polished, lacquered, contoured Europlus handle
- > Heads made of shock-resistant PA12-Nylon

Art.-No.	mm	mm	g	VE
2862	27	265	305	6
2865	40	320	700	6
2867	60	380	1.895	4



### A-S 2870

- > With polished, lacquered, contoured Europlus handle
- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky and PA12-Nylon

Art.-No.	mm	mm	g	VE
2872	27	265	305	6
2875	40	320	700	6
2877	60	380	1.895	4



### A+S 2880

- > With polished, lacquered, contoured Europlus handle
- > Heads made of shock-resistant Desmopan

Art.-No.	mm	mm	g	VE
2885	40	320	700	6



## Rubber Hammers

### GH 2450

- > Ash handle > DIN 5128-90 with two flat faces > 90 Shore black rubber

Art.-No.	mm	mm	g	VE
2451/A 100	40	260	180	5
2452/A 200	55	320	310	5
2453/A 400	65	330	540	4
2454/A 600	75	360	800	3
2455/A 900	90	380	1.250	2



### GH 2550

- > Ash handle > DIN 5128-90 with two flat faces
- > 90 Shore natural coloured rubber

Art.-No.	mm	mm	g	VE
2551/A 200	55	320	310	5



## Dead Blow Soft Faced Hammers



### RSH 2050

- > Tubular steel handle
- > Plastic compound grip, resistant against solvents and oil
- > Heads made of shock-resistant cellulose-acetat

Art.-No.	mm	mm	g	VE
2053	32	300	600	5
2054	35	305	670	5
2055	40	310	820	5
2056	50	320	1.180	5



### RSH 2150

- > Tubular steel handle
- > Plastic compound grip, resistant against solvents and oil
- > Heads made of shock-resistant PA12-Nylon

Art.-No.	mm	mm	g	VE
2153	32	300	600	5
2154	35	305	670	5
2155	40	310	820	5
2156	50	320	1.180	5



### RSH 2250

- > With polished, lacquered, contoured hickory handle
- > Heads made of shock-resistant cellulose-acetat

Art.-No.	mm	mm	g	VE
2253	32	350	600	5
2254	35	355	670	5
2255	40	375	820	5
2256	50	385	1.180	5
2257	60	420	1.800	4



### RSH 2350

- > With polished, lacquered, contoured hickory handle
- > Heads made of shock-resistant PA12-Nylon

Art.-No.	mm	mm	g	VE
2353	32	350	600	5
2354	35	355	670	5
2355	40	375	820	5
2356	50	385	1.180	5
2357	60	420	1.800	4



## Spare Parts

### Spare Handle 2600

- > For Plastic hammers
- > Ash handle
- > including iron ring wedges

Art.-No.	mm	g
2601	250	46
2602	265	54
2603	280	79
2604	290	83
2605	320	86
2606	340	130
2607	380	155



### Spare Handle 2650

- > For rubber hammers
- > Ash handle

Art.-No.	mm	g
2651	260	38
2652	320	90
2653	330	95
2654	360	130
2655	380	140

### Spare Handle 2750

- > For ARM+STRONG hammers
- > Europlus handle

Art.-No.	mm	g
2752	260	90
2755	315	150
2757	375	230

### Spare Heads 2510

- > Heads made of shock-resistant Desmopan

Art.-No.	mm	g
2511	22	14
2513	32	42
2515	40	74
2516	50	130



### Spare Heads 2400

- > Heads made of shock-resistant cellulose-acetat, yellow, red or smoky

Art.-No.	mm	g
2401	22	14
2402	27	26
2403	32	42
2404	35	56
2405	40	74
2406	50	130
2407	60	216

### Spare Heads 2500

- > Heads made of shock-resistant PA12-Nylon

Art.-No.	mm	g
2501	22	12
2502	27	20
2503	32	34
2504	35	45
2505	40	56
2506	50	104
2507	60	166


**German workmanship** - high quality production processes and ergonomic, perfectly concerted material components, guarantee 100% german workmanship!



TM©Mos Media Group - all rights reserved - DE#DE2016



**The anatomy of the closest stroke**  
fast handling · full control · close stroke



Weberstraße 6 · 42899 Remscheid · Germany · Phone: 00 49 (0) 2191 / 57 48 · Fax: / 59 00 82

[www.hkr-werkzeuge.de](http://www.hkr-werkzeuge.de) · [info@hkr-werkzeuge.de](mailto:info@hkr-werkzeuge.de)